




2026 UK CONSUMER

# DIGITAL PREVIEW CATALOGUE



# BATTERY MOWERS

36CM & 43CM CORDLESS WALK MOWERS - POWERED BY FLEX-FORCE POWER SYSTEM™



MODEL	eMULTICYCLER eL36PST 21836			eMULTICYCLER eL43PST 21843			eMULTICYCLER eL43VST 21844		
Cutting Width	36 cm			▶ 43 cm			43 cm		
Motor	600W Brushless 60V			▶ 850W Brushless 60V			850W Brushless 60V		
60V Flex-Force Battery & Charger	2.5 Ah Battery and 2.0 Amp Charger			▶ 4.0 Ah Battery and 2.0 Amp Charger			4.0 Ah Battery and 2.0 Amp Charger		
Maximum Area Cut* with one charge	<b>Battery</b>	<b>Watt Hours</b>	<b>Max Area Cut*</b>	<b>Battery</b>	<b>Watt Hours</b>	<b>Max Area Cut*</b>	<b>Battery</b>	<b>Watt Hours</b>	<b>Max Area Cut*</b>
	2.5 Ah	135	up to 800 m <sup>2</sup>	4.0 Ah	216	up to 900 m <sup>2</sup>	4.0 Ah	216	up to 900 m <sup>2</sup>
Drive System	Push			Push			▶ Variable Speed, Rear Wheel Drive		
Starter	Push Button			Push Button			Push Button		
Height of Cut	1-point, 19-70 mm			1-point, 19-70 mm			1-point, 19-70 mm		
Deck Type	Polymer			Polymer			Polymer		
Weight	23 kg (with 2.5 Ah Battery)			26 kg (with 4.0 Ah Battery)			28 kg (with 4.0 Ah Battery)		
Type of Recycler	2-in-1 (Bag and Mulch)			2-in-1 (Bag and Mulch)			2-in-1 (Bag and Mulch)		
Grass Box Capacity	40 L			▶ 50 L			50 L		
Key Features	<ul style="list-style-type: none"> <li>• RunSmart™</li> <li>• SmartStow®</li> <li>• 2-Speed Switch (RunSmart/Max Speed)</li> </ul>		<ul style="list-style-type: none"> <li>• Mulch Plug</li> <li>• Quick Storage Handlebar</li> <li>• Grassbox Full Indicator</li> </ul>	<ul style="list-style-type: none"> <li>• RunSmart™</li> <li>• SmartStow®</li> <li>• 2-Speed Switch (RunSmart/Max Speed)</li> </ul>		<ul style="list-style-type: none"> <li>• Mulch Plug</li> <li>• Quick Storage Handlebar</li> <li>• Grassbox Full Indicator</li> </ul>	<ul style="list-style-type: none"> <li>• RunSmart™</li> <li>• SmartStow®</li> <li>• 2-Speed Switch (RunSmart/Max Speed)</li> </ul>		<ul style="list-style-type: none"> <li>• Mulch Plug</li> <li>• Quick Storage Handlebar</li> <li>• Grassbox Full Indicator</li> </ul>
	Warranty*	3-Year Coverage			3-Year Coverage			3-Year Coverage	

**TORO**

▶ Step-up Feature + Based on low speed in controlled laboratory testing of product. Run time varies with load.  
\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

**Product Name Key:**  
e Battery  
S Steel Deck

C Cast Aluminium Deck  
TM Dual-Force™ Cutting Deck  
L Poly Deck

36-76 Deck Size  
P Push  
A Automatic Drive RWD

V Variable Speed Rear Wheel Drive (RWD)  
O One Speed  
BC Blade Brake Clutch (BBC)

ST SmartStow®  
W All Wheel Drive (AWD)  
K Key Start

# BATTERY MOWERS

52CM, 53CM, 55CM & 76CM CORDLESS WALK MOWERS - POWERED BY FLEX-FORCE POWER SYSTEM™



MODEL	eRECYCLER™ eS52VST 21853			eSUPER RECYCLER eC53AST 21695			eRECYCLER eS55AST 21864			eTIMEMASTER® eTM76 21876		
<b>Cutting Width</b>	▶ 52 cm			▶ 53 cm			▶ 55 cm			76cm		
<b>Motor</b>	1.5kW Brushless 60V			▶ 2kW Brushless 60V			2kW Brushless 60V			▶ 3.2kW Brushless 60V		
<b>60V Flex-Force Battery &amp; Charger</b>	6.0 Ah Battery and 2.0 Amp Charger			▶ 7.5 Ah Battery and 2.0 Amp Charger			6.0 Ah Battery and 2.0 Amp Charger			▶ 2 x 10.0 Ah Batteries and 5.5 Amp Rapid Charger		
<b>Maximum Area Cut* with one charge</b>	<b>Battery</b>	<b>Watt Hours</b>	<b>Max Area Cut*</b>	<b>Battery</b>	<b>Watt Hours</b>	<b>Max Area Cut*</b>	<b>Battery</b>	<b>Watt Hours</b>	<b>Max Area Cut*</b>	<b>Battery</b>	<b>Watt Hours</b>	<b>Max Area Cut*</b>
	6.0 Ah	324	up to 925m²	7.5 Ah	405	up to 1700 m²	6.0 Ah	324	up to 1300m²	10.0Ah x2	1080 (Total)	up to 2590m²
<b>Drive System</b>	Variable Speed, Rear Wheel Drive			▶ AutoMatic Drive System, Rear Wheel Drive			▶ AutoMatic Drive System, Rear Wheel Drive, High Wheel			Automatic Drive System, Rear Wheel Drive, High Wheel		
<b>Starter</b>	Push Button			Push Button			Push Button			Push Button		
<b>Height of Cut</b>	2-point, 32-95mm			2-point, 32-95 mm			4-point, 25-102mm			2-point, 32 - 108mm		
<b>Deck Type</b>	Steel			▶ Aluminium			Steel			Steel		
<b>Weight</b>	33 kg (with 6.0 Ah Battery)			42 kg (with 7.5 Ah Battery)			36 kg (with 6.0 Ah Battery)			73 kg (with 2x 10.0 Ah Batteries)		
<b>Type of Recycler</b>	▶ 3-in-1 (Bag, Mulch, Side Discharge <sup>1</sup> ) <sup>1</sup> Available free of charge upon request			2-in-1 (Bag and Mulch) Optional Side Discharge Chute available			2-in-1 (Bag, Mulch) Optional Side Discharge Chute available			▶ 3-in1 (Bag, Mulch, Side Discharge)		
<b>Grassbag Capacity</b>	57 L			▶ 63 L			63 L			▶ 88 L		
<b>Key Features</b>	• RunSmart™ ▶ SmartStow®		• 2-Speed Switch (RunSmart/Max Speed) • Integrated Mulch Plug	• Vortex Technology • SmartStow • RunSmart		• 2-Speed Switch (RunSmart/Max Speed) • Height Adjustable Handlebar	• Vortex Technology • RunSmart • SmartStow		• Height Adjustable Handlebar, • Recycle on Demand	• RunSmart • Traction Assist Handle • Height Adjustable Handlebar		▶ Quick Storage Handlebar ▶ Washout Port
<b>Warranty*</b>	3-Year Coverage			Motor and Battery: 3-Year Coverage Deck: 5-Year Coverage			3-Year Coverage			3-Year Coverage		



▶ Step-up Feature + Based on low speed in controlled laboratory testing of product. Run time varies with load.  
\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

**Product Name Key:**  
e Battery  
S Steel Deck

C Cast Aluminium Deck  
TM Dual-Force™ Cutting Deck  
L Poly Deck

36-76 Deck Size  
P Push  
A Automatic Drive RWD

V Variable Speed Rear Wheel Drive (RWD)  
O One Speed  
BC Blade Brake Clutch (BBC)

ST SmartStow®  
W All Wheel Drive (AWD)  
K Key Start

# CORDLESS BATTERY HAND TOOLS

POWERED BY FLEX-FORCE POWER SYSTEM™

**BATTERY & CHARGER SOLD SEPARATELY**



MODEL	LEAF BLOWER 51825T	LEAF BLOWER PLUS 51900T		
Motor	Brushless 60V DC	Brushless 60V DC		
Recommended Battery and Charger <i>Sold Separately</i>	2.5Ah 60V Battery and 2.0 Amp Charger	4.0Ah 60V Battery and 2.0 Amp Charger		
Run Time <sup>^</sup>	<b>Using 2.5 Ah Battery</b>		<b>Using 4.0 Ah Battery</b>	
	<b>Speed Setting</b>	<b>Run Time</b>	<b>Speed Setting</b>	<b>Run Time</b>
	Low	Up to 90 min	Low	Up to 120 min
	High	Up to 25 min	High	Up to 17 min
	Turbo Boost	Up to 10 min	Turbo Boost	Up to 10 min
Speed Control	Variable Trigger, Turbo Boost	Variable Trigger, Turbo Boost		
Noise Rating	Measured Sound Power: 101 dBA; Guaranteed Sound Power: 103 dBA; Sound Pressure: 86 dBA; K-factor: 3	Measured Sound Power: 101 dBA; Guaranteed Sound Power: 103 dBA; Sound Pressure: 86 dBA; K-factor: 3		
Hand/Arm Vibration	Left & Right: 1.5 m/s <sup>2</sup> rms, Uncertainty K: 0.1 m/s <sup>2</sup>	Left & Right: 1.5 m/s <sup>2</sup> rms, Uncertainty K: 0.1 m/s <sup>2</sup>		
Weight (w/ 2.5Ah Battery)	3.4 kg	4.5 kg		
Comfort Grip	Standard	▶ Textured Overmolding		
Air Flow Rate <sup>1</sup>	Up to 17.3 m <sup>3</sup> /min.	▶ Up to 25.5 m <sup>3</sup> /min.		
Air Speed <sup>1</sup>	Up to 185 km/h	▶ Up to 265 km/h		
Warranty*	3-Year Coverage	▶ 3-Year Coverage		



<sup>^</sup> Based on controlled laboratory testing of product <sup>1</sup>Base on turbo boost mode.

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

# CORDLESS BATTERY HAND TOOLS

POWERED BY FLEX-FORCE POWER SYSTEM™

**BATTERY & CHARGER SOLD SEPARATELY**



**NEW!**



**NEW!**

MODEL	41cm STRING TRIMMER 51890T			43cm STRING TRIMMER 51895T		
Motor	Brushless 60V DC			Brushless 60V DC		
Recommended Battery and Charger <i>Sold Separately</i>	2.5Ah 60V Battery and 2.0 Amp Charger			2.5Ah 60V Battery and 2.0 Amp Charger		
Run Time^ (2.5Ah Battery)	Cut Length	Line Diameter	Run Time	Cut Length	Line Diameter	Run Time
	35.5 cm	2.4 mm	Up to 45 min	38 cm	2.4 mm	Up to 45 min
	40 cm	2.4 mm	Up to 36 min	43 cm	2.4 mm	Up to 35 min
Speed Control	Variable trigger			Variable trigger		
Noise Rating	Measured Sound Power: 92 dBA; Guaranteed Sound Power: 93 dBA; Sound Pressure: 80.2 dBA; K-factor: 3			Measured Sound Power: 95 dBA; Guaranteed Sound Power: 96 dBA; Sound Pressure: 83 dBA; K-factor: 3		
Hand/Arm Vibration	Left & Right: 3.2 m/s <sup>2</sup> rms, Uncertainty K: 0.8 m/s <sup>2</sup>			Left & Right: 3.2 m/s <sup>2</sup> rms, Uncertainty K: 0.8 m/s <sup>2</sup>		
Weight (w/ 2.5Ah Battery)	5.0 kg			5.1 kg		
Cutting Width	35 cm			▶ 43 cm		
Comfort Grip	▶ Ergonomic Handle with Textured Grip			Ergonomic Handle with Textured Grip		
Telescopic Length	Up to 146mm			Up to 146mm		
Trimmer Line	2.4 mm line included 2.0 mm line sold separately			2.4 mm line included 2.0 mm line sold separately		
Line Advancement	Tap and Go			Tap and Go		
Quick Feed Head	Standard			Standard		
Warranty*	3-Year Coverage			3-Year Coverage		

**TORO**

^ Based on controlled laboratory testing of product

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

# CORDLESS BATTERY HAND TOOLS

POWERED BY FLEX-FORCE POWER SYSTEM™

**BATTERY & CHARGER SOLD SEPARATELY**



MODEL	CHAINSAW 51845T	POLE SAW 51847T
<b>Motor</b>	Brushless 60V DC	840 Watt, Brushless 60V DC
<b>Cuts Per Charge<sup>^</sup> (w/ 2.5Ah Battery)</b>	Up to 50 cuts (15 cm x 15 cm timber)	Up to 300 cuts (10 cm x 10 cm timber)
<b>Speed Control</b>	Variable trigger	1-speed
<b>Hand/Arm Vibration</b>	Left & Right: 5.7 m/s <sup>2</sup> rms, Uncertainty K: 1.5 m/s <sup>2</sup>	Left & Right: 3.8 m/s <sup>2</sup> rms, Uncertainty K: 0.2 m/s <sup>2</sup>
<b>Noise Rating</b>	Measured Sound Power: 101.1 dBA; Guaranteed Sound Power: 105 dBA Sound Pressure: 91 dBA; Uncertainty: 3	Measured Sound Power: 93 dBA; Guaranteed Sound Power: 97 dBA; Sound Pressure: 80 dBA; Uncertainty: 3
<b>Bar Length</b>	41 cm	25 cm
<b>Chain Pitch/Gauge</b>	Pitch 9.5 mm; Gauge 1.1 mm	Pitch 6.4 mm; Gauge 1.3 mm
<b>Tool Reach</b>	-	2.4 m
<b>Chain Oil Capacity</b>	270ml	80 ml
<b>Chain Tensioning</b>	Tooled	-
<b>Bar Cover</b>	Included	Included
<b>Chain Speed</b>	11 m/s	10 m/s
<b>Weight (w/ 2.5Ah Battery)</b>	5.8 kg	5.4 Kg
<b>Comfort Grip</b>	Standard	Standard
<b>Warranty*</b>	3-Year Coverage	3-Year Coverage

MODEL	HEDGE TRIMMER 51855T
<b>Bar Length</b>	61 cm
<b>Cut Capacity</b>	1.9 cm
<b>Blade Material</b>	Hardened Steel
<b>Rotating Handle</b>	Standard
<b>Motor</b>	Brushless 60V DC
<b>Run Time<sup>^</sup> (w/ 2.5Ah Battery)</b>	Up to 75 min
<b>Bar Cover</b>	Included
<b>Strokes/Minute</b>	3,200
<b>Speed Control</b>	Variable trigger
<b>Weight (w/ 2.5Ah Battery)</b>	4.2 kg
<b>Noise Rating</b>	Measured Sound Power: 92 dBA; Guaranteed Sound Power: 96 dBA; Sound Pressure: 80 dBA; Uncertainty: 3
<b>Hand/Arm Vibration</b>	Left & Right: 2.5 m/s <sup>2</sup> rms, Uncertainty K: 1.5 m/s <sup>2</sup>
<b>Comfort Grip</b>	Standard
<b>Warranty*</b>	3-Year Coverage

**TORO**

<sup>^</sup> Based on controlled laboratory testing of product

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

# BATTERY RIDING MOWERS

107CM 60V BATTERY ZERO TURN MOWER

MODEL	eTIMECUTTER eMR4275 75642		
Cutting Width	107 cm (42")		
Deck Construction	Fabricated		
Motor	2x 60V Brushless		
Battery	4x Flex-Force 10Ah Batteries Included		
Charger	Flex-Force 6-Pod Charger		
Maximum Area Cut* with one charge	Battery	Watt Hours	Max Area Cut*
	4x 10 Ah	2160	up to 8100m <sup>2</sup>
Height of Cut	38 - 114 mm		
Grass Box Capacity	227 L (Grassbag Optional)		
Deck Type	2-Blade: Recycler, Side Discharge		
Weight	250 kg		
Key Features	<ul style="list-style-type: none"> <li>• MyRIDE®</li> <li>• High Back Comfort Seat</li> </ul>	<ul style="list-style-type: none"> <li>• Fabricated Deck</li> <li>• LED Headlights</li> </ul>	
Warranty*	3-Year Coverage		



**TORO**

^ Based on controlled laboratory testing of product

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

**Product Name Key:**  
e Battery

ZS Timecutter® Stamped Deck  
ZR Timecutter Fabricated Deck  
MR Timecutter Fabricated MyRide®

ZX Titan line  
ZXM Titan line MyRide  
42-54 Deck Size

00 Standard Line  
75 Premium Line  
S Single Cylinder

T Twin Cylinder  
SD Side Discharge

# 60V BATTERY & CHARGERS

POWERED BY FLEX-FORCE POWER SYSTEM™

MODEL	2.5 Ah BATTERY L135 88925	4.0 Ah BATTERY L216 88941	6.0 Ah BATTERY L324 88960	8.0 Ah BATTERY L432 88980	10.0 AH BATTERY L540 68810
<b>Key Features</b>	LED on-board power meter Fits all 60V products				
<b>Battery Power</b>	60 Volts MAX <sup>+</sup>				
<b>Amp-Hour</b>	▶ 2.5 Ah	▶ 4.0 Ah	▶ 6.0 Ah	▶ 8.0 Ah	▶ 10.0 Ah
<b>Watt-Hour</b>	▶ 135 Wh	▶ 216 Wh	▶ 324 Wh	▶ 432 Wh	▶ 540 Wh
<b>Warranty**</b>	3-Year Coverage				

**NEW!**

BATTERY CHARGE TIMES <sup>^</sup>	2.0 AMP CHARGER 86902		5.5 AMP RAPID CHARGER 86905		4.0 AMP 2-POD CHARGER 86924		12 AMP 6-POD CHARGER 66560	
	90% Charge	Full Charge	90% Charge	Full Charge	90% Charge	Full Charge	90% Charge	Full Charge
2.5 Ah BATTERY L135	60 mins	110 mins	25 mins	65 mins	25 mins	45 mins	30 mins	45 mins
4.0 Ah BATTERY L216	100 mins	150 mins	35 mins	65 mins	45 mins	60 mins	30 mins	50 mins
6.0 Ah BATTERY L324	150 mins	215 mins	50 mins	95 mins	70 mins	95 mins	50 mins	95 mins
7.5 Ah BATTERY L405 - available in eC53AST kit only	155 mins	260 mins	60 mins	115 mins	80 mins	110 mins	60 mins	105 mins
8.0 Ah BATTERY L432	190 mins	275 mins	70 mins	125 mins	95 mins	120 mins	35 mins	60 mins
10.0 Ah BATTERY L540	215 mins	355 mins	75 mins	155 mins	105 mins	145 mins	40 mins	65 mins



Models shown  
4.0 AMP 2-Pod Charger &  
2x 2.5 Ah Batteries L135

**TORO**

▶ Step-up Feature

+Max power output measured in watts based on battery cell manufacturer's rating. Actual max power output dependent on the use conditions and tool used.

# PETROL MOWER

46CM & 53CM WALK MOWERS



MODEL	RECYCLER® S460 20949	RECYCLER® S53VST 21753	SUPER RECYCLER® C53AST 21693
Cutting Width	46 cm	▶ 53 cm	53 cm
Engine/Motor	Toro® OHV 159cc	Briggs & Stratton® Series 675 163cc	Briggs & Stratton® Series 675 EXI 163cc
Drive System	Fixed Speed, Rear Wheel Drive	▶ Variable Speed, Rear Wheel Drive	▶ AutoMatic Drive System, Rear Wheel Drive, High Wheel
Starter	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start
Height of Cut	1-point, 25-70mm	▶ 2-point, 32-95mm	▶ 4 point, 32-108mm
Deck Type	Steel	Steel	▶ Aluminium
Weight	29 kg	30 kg	38 kg
Type of Recycler	3-in-1 (Bag, Recycler, Rear Discharge)	3-in-1 (Bag, Recycler, Side Discharge <sup>1</sup> ) <i>*Free of charge side discharge chute available upon request</i>	2-in-1 (Bag, Recycler) <i>Optional side discharge chute available</i>
Grassbag Capacity	55 L	▶ 57 L	▶ 63 L
Key Features	• Washout Port	▶ SmartStow® • Integrated Mulch Plug	• SmartStow® ▶ Vortex Technology ▶ Height Adjustable Handlebar
Warranty*	2-Year Coverage 2-Year Guaranteed-to-Start	2-Year Coverage 2-Year Guaranteed-to-Start	5-Year Coverage 5-Year Guaranteed-to-Start

**TORO**

▶ Step-up Feature <sup>1</sup>21753 side discharge chute available free of charge upon request  
\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

**Product Name Key:**  
e Battery  
S Steel Deck

C Cast Aluminium Deck  
TM Dual-Force™ Cutting Deck  
L Poly Deck

36-76 Deck Size  
P Push  
A Automatic Drive RWD

V Variable Speed Rear Wheel Drive (RWD)  
O One Speed  
BC Blade Brake Clutch (BBC)

ST SmartStow®  
W All Wheel Drive (AWD)  
K Key Start

# PETROL MOWER

## 55CM WALK MOWERS



MODEL	RECYCLER S55A 21771	RECYCLER S55ABC 21772	RECYCLER S55AWST 21774
Cutting Width	55 cm	55 cm	55 cm
Engine/Motor	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc
Drive System	▶ AutoMatic Drive System, Rear Wheel Drive, High Wheel	AutoMatic Drive System, Rear Wheel Drive, High Wheel	AutoMatic Drive System, ▶ All-Wheel Drive, High Wheel
Starter	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start
Height of Cut	4-point, 25-102mm	4-point, 25-102mm	4-point, 25-102mm
Deck Type	Steel	Steel	Steel
Weight	35 kg	37 kg	37 kg
Type of Recycler	2-in-1 (Bag, Recycler) <i>Optional side discharge chute available</i>	2-in-1 (Bag, Recycler) <i>Optional side discharge chute available</i>	2-in-1 (Bag, Recycler) <i>Optional side discharge chute available</i>
Grassbag Capacity	63 L	63 L	63 L
Key Features	<ul style="list-style-type: none"> <li>• Vortex Technology</li> <li>▶ Height Adjustable Handlebar</li> <li>▶ Recycle on Demand</li> </ul>	<ul style="list-style-type: none"> <li>▶ Blade Brake Clutch</li> <li>• Vortex Technology</li> <li>• Height Adjustable Handlebar</li> <li>• Recycle on Demand</li> </ul>	<ul style="list-style-type: none"> <li>▶ SmartStow</li> <li>• Vortex Technology</li> <li>• Recycle on Demand</li> </ul>
Warranty*	2-Year Coverage 2-Year Guaranteed-to-Start	2-Year Coverage 2-Year Guaranteed-to-Start	2-Year Coverage 2-Year Guaranteed-to-Start

**TORO**

▶ Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

Product Name Key:

e Battery  
S Steel Deck

C Cast Aluminium Deck  
TM Dual-Force™ Cutting Deck  
L Poly Deck



36-76 Deck Size  
P Push  
A Automatic Drive RWD

V Variable Speed Rear Wheel Drive (RWD)  
O One Speed  
BC Blade Brake Clutch (BBC)

ST SmartStow®  
W All Wheel Drive (AWD)  
K Key Start

# PETROL MOWER

## 76CM WALK MOWERS



MODEL	TIMEMASTER® TM76 21815	TIMEMASTER TM76K 21816
Cutting Width	76 cm	76 cm
Engine/Motor	Briggs & Stratton PXi 1000 Series 223cc	Briggs & Stratton PXi 1000 Series 223cc
Drive System	AutoMatic Drive System, Rear Wheel Drive w/ Traction Assist	AutoMatic Drive System, Rear Wheel Drive w/ Traction Assist
Starter	Recoil, Zone Start	▶ Electric, Zone Start
Height of Cut	2-point, 32-108mm	2-point, 32-108mm
Deck Type	Steel	Steel
Weight	64 kg	66 kg
Type of Recycler	3-in-1 (Bag, Recycler, Side Discharge)	3-in-1 (Bag, Recycler, Side Discharge)
Grassbag Capacity	88 L	88 L
Key Features	<ul style="list-style-type: none"> <li>• Blade Brake Clutch</li> <li>• Height Adjustable Handlebar</li> <li>• Quick Storage Handlebar</li> <li>• Washout Port</li> </ul>	<ul style="list-style-type: none"> <li>• Blade Brake Clutch</li> <li>• Height Adjustable Handlebar</li> <li>• Quick Storage Handlebar</li> <li>• Washout Port</li> </ul>
Warranty*	3-Year Coverage	3-Year Coverage

**TORO**

▶ Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

Product Name Key:

e Battery  
S Steel Deck

C Cast Aluminium Deck  
TM Dual-Force™ Cutting Deck  
L Poly Deck

36-76 Deck Size  
P Push  
A Automatic Drive RWD

V Variable Speed Rear Wheel Drive (RWD)  
O One Speed  
BC Blade Brake Clutch (BBC)

ST SmartStow®  
W All Wheel Drive (AWD)  
K Key Start

# PETROL RIDE-ON MOWERS

107CM & 127CM ZERO-TURN MOWERS



MODEL	TIMECUTTER ZS4200S 74683	TIMECUTTER ZS4200T 74677	TIMECUTTER MR4275T 74692	TIMECUTTER MR5075T 74696
Cutting Width	107 cm (42")	107 cm (42")	107 cm (42")	▶ 127cm (50")
Engine/Motor	Briggs & Stratton® 500cc Single Cylinder	▶ Briggs & Stratton® 724cc V Twin Cylinder Engine	▶ Kawasaki 726cc V Twin Cylinder	▶ Kawasaki 726cc V Twin Cylinder
Transmission System	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic
Height of Cut	38-114mm	38-114mm	38-114mm	38-114mm
Deck Type	2-Blade: Recycler, Side Discharge	2-Blade: Recycler, Side Discharge	2-Blade, Recycler, Side Discharge	▶ 3-Blade, Recycler, Side Discharge
Grassbag Capacity	Optional -227 L	Optional -227 L	Optional -227 L	Optional -227 L
Weight	231 kg	223 kg	267 kg	293 kg
Key Features	<ul style="list-style-type: none"> <li>• Smart Speed</li> <li>• Onboard Storage</li> <li>• Hitch Kit</li> <li>• Washout Port</li> <li>• 41 cm High Back Comfort Seat</li> </ul>	<ul style="list-style-type: none"> <li>• Smart Speed</li> <li>• Onboard Storage</li> <li>• Hitch Kit</li> <li>• Washout Port</li> <li>• 41 cm High Back Comfort Seat</li> </ul>	<ul style="list-style-type: none"> <li>▶ MyRIDE®</li> <li>• Smart Speed</li> <li>• Hitch Kit</li> <li>• Washout Port</li> <li>▶ 46 cm High Back Comfort Seat with Armrests</li> <li>• Fabricated Deck</li> </ul>	<ul style="list-style-type: none"> <li>• MyRIDE®</li> <li>• Smart Speed</li> <li>• Hitch Kit</li> <li>• Washout Port</li> <li>• 46 cm High Back Comfort Seat with Armrests</li> <li>• Fabricated Deck</li> <li>• Deck Foot Lift</li> </ul>
Warranty*	3-Year Coverage	3-Year Coverage	3-Year Coverage	3-Year Coverage

**TORO**

▶ Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

Product Name Key:  
e Battery

ZS Timecutter® Stamped Deck  
ZR Timecutter Fabricated Deck  
MR Timecutter Fabricated MyRide®

ZX Titan line  
ZXM Titan line MyRide  
42-54 Deck Size

00 Standard Line  
75 Premium Line  
S Single Cylinder

T Twin Cylinder  
SD Side Discharge

# PETROL RIDE-ON MOWERS

122CM - 152CM HEAVY-DUTY ZERO-TURN MOWERS



MODEL	TITAN® ZXM4875 76448	TITAN® ZXM5475 76554	TITAN® ZXM6075 76660
Cutting Width	122cm (48")	▶ 137cm (54")	▶ 152cm (60")
Engine/Motor	▶ Kawasaki 726cc V Twin Cylinder	Kawasaki 726cc V Twin Cylinder	Kawasaki 726cc V Twin Cylinder
Transmission System	Dual Hydrostatic w/ Charge Pumps	Dual Hydrostatic HG ZT2800	Dual Hydrostatic HG ZT2800
Height of Cut	38 - 127mm	38 - 127mm	38 - 127mm
Grassbag Capacity	Optional - 227L	Optional - 227L	Optional - 227L
Deck Type	10-Gauge Steel ▶ IronForged® Deck. 3-Blade: Recycler, Side Discharge	10-Gauge Steel IronForged® Deck. 3-Blade: Recycler, Side Discharge	10-Gauge Steel IronForged® Deck. 3-Blade: Recycler, Side Discharge
Weight	360 kg	360 kg	377 kg
Key Features	<ul style="list-style-type: none"> <li>▶ MyRide®</li> <li>• Hitch Kit</li> <li>• Hour Meter</li> <li>• Deck Foot Lift</li> <li>• High Back Comfort Seat</li> <li>• Fabricated Deck</li> </ul>	<ul style="list-style-type: none"> <li>• MyRide®</li> <li>• Hitch Kit</li> <li>• Hour Meter</li> <li>• Deck Foot Lift</li> <li>• High Back Comfort Seat</li> <li>• Fabricated Deck</li> </ul>	<ul style="list-style-type: none"> <li>• MyRide®</li> <li>• Hitch Kit</li> <li>• Hour Meter</li> <li>• Deck Foot Lift</li> <li>• High Back Comfort Seat</li> <li>• Fabricated Deck</li> </ul>
Warranty*	3- Year Coverage	3- Year Coverage	3- Year Coverage



▶ Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

Product Name Key:  
e Battery

ZS Timecutter® Stamped Deck  
ZR Timecutter Fabricated Deck  
MR Timecutter Fabricated MyRide®

ZX Titan line  
ZXM Titan line MyRide  
42-54 Deck Size

00 Standard Line  
75 Premium Line  
S Single Cylinder

T Twin Cylinder  
SD Side Discharge

# PETROL SCARIFIER

40 CM STEEL DECK SCARIFIER

<b>MODEL</b>	SCARIFIER 54610
<b>Cutting Width</b>	40 cm
<b>Engine/Motor</b>	Briggs & Stratton® 163cc XR-750 Series
<b>Drive System</b>	Push
<b>Starter</b>	Recoil
<b>Working Depth</b>	+10 to -15 mm
<b>Height Adjustment</b>	Single Point
<b>Deck Type</b>	Steel
<b>Grassbag Capacity</b>	50 L
<b>Rotors</b>	1 x 24 steel springs 1 x 18 verticutter
<b>Weight</b>	38 kg
<b>Warranty*</b>	2-Year Coverage



**TORO**

► Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)